

Charles City, IA

Commercial Discount Schedule

Test Weight

| Pounds/Bushel | Cents/Bushel |
|---------------|--------------|
| 53.9-53.00 | -0.01 |
| 52.9-52.00 | -0.02 |
| 51.9-51.00 | -0.04 |
| 50.9-50.00 | -0.06 |
| 49.9-49.00 | -0.10 |
| 48.9-48.00 | -0.14 |

Damage

| % of Damage | Cents/Bushel |
|----------------|-----------------------------|
| 5.01-6.0 | -0.01 |
| 6.01-7.0 | -0.02 |
| 7.01-8.0 | -0.04 |
| 8.01-9.0 | -0.06 |
| 9.01-10.0 | -0.08 |
| 10.01-11.0 | -0.13 |
| 11.01-12.0 | -0.18 |
| 12.01-13.0 | -0.23 |
| 18.0 and above | Subject to Rejection |

Moisture

| % of Moisture | Cents/Bushel |
|-----------------|-----------------------------|
| 15.01-15.50 | -0.05 |
| 15.51-16.00 | -0.10 |
| 16.01-16.50 | -0.15 |
| 16.51-17.00 | -0.20 |
| 17.01 and above | Subject to Rejection |

Heat Damage

| % of Heat Damage | Cents/Bushel |
|------------------|-----------------------|
| 0.30-0.39 | -0.01 |
| 0.40-0.49 | -0.02 |
| 0.50-0.59 | -0.03 |
| 0.60-1.00 | -0.09 |
| 1.01-2.00 | -0.12 |
| 2.1 and above | Rejection Firm |

Foreign Material

| % of For. Mat. | Cents/Bushel |
|----------------|-----------------------|
| 3.01-4.0 | -0.02 |
| 4.01-5.0 | -0.04 |
| 5.01-6.0 | -0.07 |
| 6.01-7.0 | -0.10 |
| 7.01-8.0 | -0.13 |
| 8.01-9.0 | -0.16 |
| 9.01-10.0 | -0.19 |
| Above 10.0 | Rejection Firm |

Other

| Discount | Cents/Bushel |
|----------|-----------------------|
| Sour | -0.10 |
| Musty | -0.10 |
| Heating | -0.10 |
| Cofo | -0.10 |
| Rocks | Rejection Firm |
| Bugs | Rejection Firm |

